

# Polyclonal Secondary Antibodies



Quality Antibodies for Quality Research



# Polyclonal Secondary Antibodies

## Mouse

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Ig	Goat	Human Ig	1010	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
Ig	Goat F(ab') <sub>2</sub>	Human Ig	1012	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgA	Goat		1040	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgE	Goat		1110	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG	Goat	Human Ig	1030	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG Fab	Goat		1015	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG Fc	Goat		1033	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG Fc	Goat	Hu/Bvn/Hrs SP	1013	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Donkey		6411	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Donkey F(ab') <sub>2</sub>		6412	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Goat		1036	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Rabbit		6170	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6120	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Donkey	Human SP	6410	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Goat	Human Ig	1031	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Goat F(ab') <sub>2</sub>	Human Ig	1032	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Rabbit	Human Ig	6175	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human Ig	6125	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Goat	Rat Ig	1034	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Goat	Hu/Bvn/Hrs SP	1037	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Donkey	Multi-Species SP	6415	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG(H+L)	Goat	Multi-Species SP	1038	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>1</sub>	Goat		1071	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>1</sub>	Goat	Human Ig	1070	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>1</sub>	Goat F(ab') <sub>2</sub>	Human Ig	1072	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>1</sub>	Goat	Hu/Bvn/Hrs SP	1073	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2a</sub>	Goat		1081	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2a</sub>	Goat	Human Ig	1080	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2a</sub>	Goat F(ab') <sub>2</sub>	Human Ig	1082	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2a</sub>	Goat	Hu/Bvn/Hrs SP	1083	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2b</sub>	Goat		1091	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2b</sub>	Goat	Human Ig	1090	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2b</sub>	Goat F(ab') <sub>2</sub>	Human Ig	1092	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2b</sub>	Goat	Hu/Bvn/Hrs SP	1093	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2c</sub>	Goat		1078	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2c</sub>	Goat	Human Ig	1079	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>2c</sub>	Goat	Hu/Bvn/Hrs SP	1077	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+
IgG <sub>3</sub>	Goat		1101	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+	+

# Polyclonal Secondary Antibodies

## Mouse

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG <sub>3</sub>	Goat	Human Ig	1100	🐘	🐘	🐘	🐘		🐘	🐘	🐘	🐘		🐘		🐘	🐘	🐘		🐘	🐘	🐘
IgG <sub>3</sub>	Goat F(ab') <sub>2</sub>	Human Ig	1102	🐘			🐘		🐘	🐘	🐘	🐘										
IgG <sub>3</sub>	Goat	Hu/Bvn/Hrs SP	1103	🐘	🐘	🐘	🐘															
IgM	Goat		1021	🐘	🐘	🐘	🐘		🐘	🐘	🐘					🐘	🐘	🐘		🐘		
IgM	Goat F(ab') <sub>2</sub>		1023	🐘																		
IgM	Goat	Human Ig	1020	🐘	🐘	🐘	🐘	🐘	🐘	🐘	🐘			🐘		🐘	🐘	🐘	🐘	🐘	🐘	🐘
IgM	Goat F(ab') <sub>2</sub>	Human Ig	1022	🐘			🐘		🐘	🐘	🐘							🐘		🐘		
Kappa	Goat		1050	🐘	🐘	🐘	🐘		🐘	🐘	🐘					🐘	🐘	🐘				
Kappa	Goat F(ab') <sub>2</sub>		1052	🐘	🐘											🐘	🐘					
Lambda	Goat		1060	🐘	🐘	🐘	🐘		🐘	🐘						🐘	🐘	🐘				

## Human

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Ig	Goat		2010	👤	👤	👤	👤	👤	👤	👤	👤					👤	👤	👤		👤		
Ig	Goat F(ab') <sub>2</sub>		2012	👤			👤		👤	👤	👤							👤				
Ig Fab	Goat		2085	👤	👤	👤	👤															
Ig Fc	Goat		2047	👤	👤	👤																
IgA	Goat		2050	👤	👤	👤	👤		👤		👤					👤	👤	👤				
IgA	Goat F(ab') <sub>2</sub>		2052	👤			👤		👤		👤							👤				
IgA	Goat	Ms/Bvn/Hrs SP	2053	👤	👤	👤																
IgD	Goat		2030	👤	👤	👤	👤		👤	👤	👤					👤	👤	👤		👤		
IgD	Goat F(ab') <sub>2</sub>		2032	👤			👤		👤	👤	👤							👤		👤		
IgG	Goat		2040	👤	👤	👤	👤	👤	👤	👤	👤					👤	👤	👤		👤		
IgG	Goat Fab		2041	👤	👤	👤	👤															
IgG	Goat F(ab') <sub>2</sub>		2042	👤	👤	👤	👤		👤		👤							👤				
IgG	Goat	Monkey Ig	2049	👤	👤		👤		👤	👤								👤		👤		
IgG	Goat	Mouse Ig	2044	👤	👤	👤																
IgG	Goat F(ab') <sub>2</sub>	Mouse Ig	2043	👤			👤		👤		👤							👤				
IgG	Goat	Ms/Bvn/Hrs SP	2045	👤	👤	👤																
IgG Fc	Goat		2048	👤	👤	👤	👤		👤	👤	👤							👤		👤		
IgG Fc	Goat	Ms/Bvn/Hrs SP	2081	👤	👤	👤																
IgG Fc	Goat	Multi-Species SP	2014	👤	👤	👤												👤		👤		
IgG Fd	Goat		2046	👤	👤	👤																
IgG(H+L)	Goat		2015	👤					👤													
IgG(H+L)	Goat	Ms/Bvn/Hrs SP	2016	👤	👤		👤											👤		👤		

# Polyclonal Secondary Antibodies

## Human

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horseradish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG(H+L)	Goat	Multi-Species ads	2087	👤	👤	👤	👤															
IgG(H+L)	Rabbit		6140	👤	👤	👤	👤		👤		👤											
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6000	👤	👤	👤			👤	👤												
IgG(H+L)	Rabbit	Mouse Ig	6145	👤	👤	👤	👤		👤													
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Mouse Ig	6005	👤	👤	👤			👤													
IgG(H+L)	Rabbit	Ms/Bvn/Hrs SP	6146	👤																		
IgM	Goat		2020	👤	👤	👤	👤		👤	👤	👤					👤	👤	👤		👤		
IgM	Goat F(ab') <sub>2</sub>		2022	👤	👤		👤		👤	👤	👤							👤		👤		
IgM	Goat	Ms/Bvn/Hrs SP	2023	👤	👤	👤			👤													
Kappa	Goat		2060	👤	👤	👤	👤	👤	👤	👤	👤					👤	👤	👤		👤		
Kappa	Goat F(ab') <sub>2</sub>		2062	👤	👤		👤		👤	👤	👤							👤		👤		
Kappa	Goat	Mouse Ig	2061	👤	👤	👤	👤		👤		👤					👤	👤					
Kappa	Goat F(ab') <sub>2</sub>	Mouse Ig	2063	👤		👤	👤		👤		👤											
Lambda	Goat		2070	👤	👤	👤	👤		👤	👤	👤					👤	👤	👤		👤		
Lambda	Goat F(ab') <sub>2</sub>		2072	👤	👤		👤		👤		👤										👤	
Lambda	Goat	Mouse Ig	2071	👤	👤	👤	👤															
Lambda	Goat F(ab') <sub>2</sub>	Mouse Ig	2073	👤			👤		👤		👤											

## Goat

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horseradish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
IgG Fab	Rabbit		6022	🐐			🐐															
IgG Fc	Donkey		6460	🐐	🐐																	
IgG Fc	Rabbit		6163	🐐	🐐																	
IgG(H+L)	Rabbit		6160	🐐	🐐	🐐	🐐		🐐							🐐						
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6020	🐐	🐐	🐐			🐐													
IgG(H+L)	Rabbit	Human SP	6164	🐐	🐐	🐐	🐐		🐐													
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human SP	6026	🐐	🐐	🐐			🐐													
IgG(H+L)	Donkey	Mouse/Rat SP	6420	🐐	🐐	🐐	🐐		🐐	🐐	🐐							🐐		🐐		
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Mouse/Rat SP	6421	🐐																		
IgG(H+L)	Swine	Hu/Rt/Ms SP	6300	🐐	🐐	🐐	🐐		🐐		🐐											
IgG(H+L)	Donkey	Multi-Species SP	6425	🐐	🐐		🐐															

# Polyclonal Secondary Antibodies

## Rat

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7	
Ig	Goat	Mouse Ig	3010	🐹	🐹	🐹	🐹		🐹		🐹					🐹	🐹		🐹				
Ig	Goat Fab	Mouse Ig	3000	🐹	🐹		🐹																
IgG	Goat		3030	🐹	🐹	🐹	🐹	🐹	🐹		🐹					🐹							
IgG	Goat F(ab') <sub>2</sub>		3032	🐹	🐹																		
IgG(H+L)	Rabbit		6180	🐹	🐹	🐹	🐹		🐹														
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6130	🐹	🐹	🐹			🐹							🐹							
IgG(H+L)	Sheep		6900	🐹																			
IgG(H+L)	Rabbit	Human Ig	6185	🐹	🐹	🐹	🐹		🐹														
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human Ig	6135	🐹	🐹	🐹			🐹														
IgG(H+L)	Donkey	Mouse SP	6430	🐹	🐹	🐹	🐹		🐹	🐹	🐹							🐹		🐹			
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Mouse SP	6431	🐹	🐹																		
IgG(H+L)	Goat	Mouse Ig	3050	🐹	🐹	🐹	🐹	🐹	🐹	🐹	🐹					🐹	🐹	🐹		🐹			
IgG(H+L)	Goat F(ab') <sub>2</sub>	Mouse Ig	3052	🐹			🐹		🐹		🐹	🐹	🐹		🐹		🐹						
IgG(H+L)	Mouse	Mouse SP	3053	🐹			🐹																
IgG(H+L)	Goat	Ms/Hu Ig	3051	🐹	🐹		🐹																
IgM	Goat		3020	🐹	🐹	🐹	🐹		🐹	🐹	🐹					🐹	🐹						

## Hamster

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7	
IgG(H+L)	Goat		6060	🐹	🐹	🐹	🐹		🐹														
IgG(H+L)	Rabbit	Mouse Ig	6211	🐹	🐹						🐹												
IgG(H+L)	Goat	Mouse/Rat Ig	6061	🐹	🐹	🐹	🐹		🐹		🐹			🐹					🐹				
IgG(H+L)	Goat F(ab') <sub>2</sub>	Mouse/Rat Ig	6062	🐹			🐹		🐹		🐹												
IgG(H+L)	Rabbit	Mouse/Rat SP	6215	🐹	🐹		🐹		🐹		🐹												

## Sheep

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7	
IgG(H+L)	Rabbit		6150	🐹	🐹	🐹	🐹		🐹							🐹							
IgG(H+L)	Rabbit F(ab') <sub>2</sub>		6010	🐹	🐹	🐹			🐹														
IgG(H+L)	Rabbit	Human SP	6156	🐹	🐹	🐹	🐹		🐹														
IgG(H+L)	Rabbit F(ab') <sub>2</sub>	Human SP	6016	🐹	🐹	🐹			🐹														

# Polyclonal Secondary Antibodies

## Rabbit

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horse radish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7
Ig	Goat	Human Ig	4010	🐰	🐰	🐰	🐰	🐰	🐰		🐰					🐰	🐰	🐰	🐰			
IgG	Goat		4030	🐰	🐰	🐰	🐰		🐰	🐰	🐰					🐰		🐰	🐰	🐰		
IgG Fab	Goat		4040	🐰	🐰		🐰															
IgG Fab	Goat	Ms/Hu SP	4058	🐰	🐰																	
IgG Fc	Goat		4041	🐰	🐰		🐰		🐰													
IgG(H+L)	Donkey		6441	🐰	🐰				🐰													
IgG(H+L)	Goat		4055	🐰	🐰				🐰													
IgG(H+L)	Swine		6311	🐰																		
IgG(H+L)	Goat	Human Ig	4051	🐰	🐰																	
IgG(H+L)	Goat	Ms/Hu Ig	4050	🐰	🐰	🐰	🐰		🐰	🐰	🐰	🐰				🐰	🐰	🐰	🐰	🐰		
IgG(H+L)	Goat F(ab') <sub>2</sub>	Ms/Hu Ig	4052	🐰	🐰	🐰	🐰		🐰		🐰											
IgG(H+L)	Donkey	Ms/Rt/Hu SP	6440	🐰	🐰	🐰	🐰		🐰	🐰	🐰											
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Ms/Rt/Hu SP	6446	🐰	🐰																	
IgG(H+L)	Goat	Ms/Rt/Hu Ig	4049	🐰	🐰	🐰																
IgG(H+L)	Goat F(ab') <sub>2</sub>	Ms/Rt/Hu Ig	4054	🐰	🐰		🐰		🐰													
IgG(H+L)	Mouse	Ms/Hu/Gt/Sh SP	4091	🐰			🐰															
IgG(H+L)	Swine	Ms/Rt/Hu/Gt SP	6310	🐰	🐰																	
IgG(H+L)	Donkey	Multi-Species SP	6442	🐰	🐰																	
IgG(H+L)	Donkey F(ab') <sub>2</sub>	Multi-Species SP	6444	🐰	🐰															🐰		
IgM	Goat		4020	🐰	🐰	🐰	🐰		🐰		🐰					🐰						
IgM	Goat	Multi-Species SP	4021	🐰																		

# Polyclonal Secondary Antibodies

## Miscellaneous Species

Specificity	Host	Cross Adsorption	Cat. No.	Purified	Horseradish Peroxidase	Alkaline Phosphatase	Biotin	$\beta$ -Galactosidase	Fluorescein	Alexa Fluor® 488	R-Phycoerythrin	Spectral Red®	PE/CY 5.5	PE/CY7	PE/Texas Red®	Rhodamine	Texas Red®	Alexa Fluor® 555	Allophycocyanin	Alexa Fluor® 647	CY5	APC/CY7	
Bovine IgG(H+L)	Goat		6030																				
Canine IgG(H+L)	Goat		6070																				
Chicken IgY(H+L)	Goat		6100																				
Chicken IgY(H+L)	Goat	Multi-Species SP	6105																				
Donkey IgG(H+L)	Goat		6800																				
Equine IgG(H+L)	Goat		6040																				
Feline IgG(H+L)	Goat		6080																				
Guinea Pig IgG(H+L)	Goat		6090																				
Porcine IgG(H+L)	Goat		6050																				
Rhesus IgG(H+L)	Goat		6200																				
Turkey IgY(H+L)	Goat		6110																				

Distribuidor:



Tel.: 915 515 403  
Fax: 914 334 545  
e-mail: [info@bionova.es](mailto:info@bionova.es)

[www.bionova.es](http://www.bionova.es)



Spectral Red® is a registered trademark of Southern Biotechnology Associates, Inc.  
Alexa Fluor® is a registered trademark of Life Technologies Corporation.  
Texas Red® is a registered trademark of Molecular Probes, Inc.  
Pacific Blue™ is a trademark of Life Technologies Corporation.  
Cy® is a registered trademark of GE Healthcare.  
MM-PO2-00